

1 - 888 - 900 - 9885 I info@csc-led.com www.csc-led.com In a world where technology is constantly advancing, we understand the importance of utilizing it. Implementing QR codes in our catalogues ensures that you always have the most up-to-date information at your fingertips and helps reduce our eco-footprint!



# **HOW TO** Utilize the QR Codes

- **1.** Open the camera on your smartphone. **Note**: If you have an older device, you may have to download a QR Code Reader app.
- 2. Hold your device over a QR Code so that it's clearly visible within your smartphone's screen. Two things can happen when you correctly hold your smartphone over a QR Code.
  - a) The phone automatically scans the code.
  - b) On some devices, you may have to press a button to snap a picture.
- **3.** That's it! Once your device reads the code, it will navigate to the intended web page for more information about CSC LED products and services.



Our mission is to support our business partners in the industrial and commercial construction sector with persistent communication and collaboration.

CSC LED, formerly known as Earth-line SSL, has been in the LED business since 2006. We partner with our electrical wholesale customers and provide affordable and reliable LED products that are made with only the best LED chips, drivers, and thermal management.

#### What makes us different from our competitors?

• We understand the business from the perspective of all parties involved - distributors, sales representatives, electricians, contractors, etc.

We have a diverse team of professionals on staff who understand and have experience in the industry and are therefore able to provide our customers with the best products, service, and support. • We partner with our customers to ensure a mutually beneficial relationship.

We provide back-end tools and support to make our wholesale customer's jobs easier, including online access to pricing and inventory levels 24/7.

• We have been in the industry for over 14 years.

We have outlasted our warranties - not many of our competitors can boast this!

#### What's different about our products?

- Tier 1 quality products at competitive price points.
- Our products use the same LED light engines, the same quality drivers, and the same castings and powder coat finishes as many of the higher priced products in the marketplace.

High quality products, competitive prices and great customer service!

### Flood / Area Lights

BESTS	FL04B Series		FLM Series	CLEAR	FL04 Series RANCE
cover for c	e Series ase, hinged access control compartment. hsor sold separately	Mini Flood Ideal for la patio, secu signage, a	ndscaping, irity lighting,	Concord A sleek, s design wit performar	reamlined h unsurpassed
	60W, 80W, 100W, 150W,	Watts	15W, 30W, 50W, 70W, 90W		60W, 100W, 150W, 200W,
	200W, 240W, 300W, 450W	Voltage	120-277V* or 120-347V	Watts	240W, 300W, 450W
Voltage	120-347V	CCT	40K* or Tunable (30K/40K/50K)	Voltage	120-277V, 277-480V
Voltage CCT	120-347V 30K*, 40K, or 50K	CCT	40K* or Tunable (30K/40K/50K) 15W: Standard,	Voltage CCT	120-277V, 277-480V 40K or 50K







#### Daymaker P Series

Large thermal dissipation area and complete with a standard trunnion mount

area Idard	
	1

Watts	100W, 150W, 230W
Voltage	277-480V
CCT	50K
DLC	Premium

#### FL01H Series CLEARANCE



Daymaker Series Complete with high grade polycarbonate optics that will never yellow

Watts	100W, 150W
Voltage	277-480V
CCT	50K
DLC	Standard

lel:

#### FL02 Series

CLEARANCE



Streamline Series Ideal for landscape lighting, architectural flood lighting, and interior wall washing



Watts	10W, 20W
Voltage	120-277V
CCT	40K
DLC	Standard

2

### Flood / Area Lights



#### Pole Top Area Lights

Watts

Elegant look and design. Ideal for parking lots, pathways, parks, and more. Suitable for use with up to 3" OD poles and complete with a high efficiency Type 5 optic lens




Street Lights			
The same features as the			
customer favourite ST02			
Series, now DLC 5.1			



Watts	50W, 100W
Voltage	120-277V
CCT	40K
DLC	Premium

SP01B Series





ST02 Series

35W, 55W, 75W, 100W, 150W

#### SP01 Series

LIMITED STOCK




#### Street Lights

High grade polycarbonate optics. Photocell or shorting cap required (sold separately)



Watts	50W, 100W
Voltage	120-277V
CCT	40K
DLC	Premium

Sports Stadium Lights Suitable for recreational facilities, high mast applications, and more



vvatts	60077,75077
Voltage	e 277-480V
CCT	50K
DLC	Premium



#### Sports Stadium Lights Now available in more wattages and 120-347V! Complete with yoke mount



Watts	500W, 750W, 1000W
Voltage	120-347V
CCT	50K
DLC	Premium

### **Canopy Lights**

#### **CP** Series



"These LED canopies have great value, they're built well and have great lumen output. I especially like that they are an easy in and out retrofit for most existing canopy fixtures. Highly recommended!"

- March 2021 Review

40W

40K

120°

Standard

120-277V

Watts Voltage

CCT

Beam

DLC

Ideal for parking structures, welding cells, parts inspection, and more Suitable for damp/wet locations and complete with built-in surge protection. The hinged mounting plate makes for a quick installation. 0-10V dimmable



Garage Canopy Lights Horizontal light dispersion for maximum uniform coverage and optimal visual comfort

NEW!



Watts	45W, 75W
Voltage	120-347V
CCT	40K
Beam	170°
DLC	Premium

GCL01 Series



Internal dimmable microwave motion sensor (MC601V) sold separately

### **Downlights**



Accessories (Sold Separately): 6" Reflector, 8" Reflector, 6" Housing Frame, 8" Housing Frame

35K

CCT

4

Voltage 120-347V

Tunable (30K/40K/50K) CCT or (30K/35K/40K)\*

6" Round Reflector, 8" Round Reflector



### **High Bays**

NEW!	HB7C Series	LIMITED	HB7B Series
ldeal for w Newly des	ries High Bay arehouses, factories, and more. igned, shatterproof polycarbonate et DLC 5.1 glare standards	High-grad and a blac	2021 BEST SELLING SERIES     e aluminum body for superior heat dissipation     k polyester powder coat finish. Utilize the     e twist-on motion sensor (sold separately).
Watts	100W, 150W, 200W, 240W, 300W	Watts	100W, 150W, 200W, 240W, 300W
Voltage	120-277V, 120-347V	Voltage	120-277V, 120-347V, 200-480V*
CCT	40K or 50K	CCT	40K or 50K
Beam	90°	Beam	120°
DLC	Premium	DLC	Premium

"Installed several of these for our customers. Customers are extremely pleased with the performance" - March 2022 Review



#### Linear High Bay

Centre knockout allows for the easy installation of an optional motion sensor (sold separately). Complete with two mounting hooks and two 40" chains




Watts	110W, 165W, 220W, 300W
Voltage	120-347V
CCT	40K or 50K
Beam	100°
DLC	Premium

"The UFO fixtures ranging from 120-347 make the projects so much easier. My contractor loves them!" - March 2021 Review



#### Linear High Bay

All of the amazing features of the LHB2, now with newly designed, shatterproof polycarbonate optics that meet DLC 5.1 glare standards




## Hazloc / Explosion-Proof

CLEAF	CES Series		EXPL Series	S		EXPR Series
cUL 8750 Div 2 grou	Explosion-Proof rated for Class 1, ps A, B, C, D. with no warm-up time	C1, D2, (G UL844, UL	plosion-Proof aroups A,B,C,D), 1598, UL8750. nt sold separately		C1, D2, (G UL844, UI	xplosion-Proof         147.1           Groups A,B,C,D),         1598, UL8750.           Ex db IIC T6 Gb         147.1
Watts	100W, 185W	Watts	40W, 80W		Watts	60W, 100W, 150W
Voltage	120-277V	Voltage	120-277V		Voltage	120-277V
CCT	50K	CCT	50K		CCT	50K
DLC	Standard	Length	2', 4'		Beam	110°

### Lamps

CLEAF	CLW Series	CLEAF	CLW08 Series	CLEA	CLH Series CLEARANCE		
			Contractions Co				
area lights	nps se in high bays, , flood lights, s and more		acement for Metal		cement lamps for		
Watts	15W, 30W, 36W, 54W, 75W	Watts	100W	Watts	27W, 36W, 54W, 75W		
Voltage	120-277V	Voltage	120-277V	Voltage	120-277V		
CCT	50K	CCT	50K	CCT	50K		
Base	E26*, E39*	Base	E39	Base	E26*, E39*		

### Panels / Troffers



#### "Contractor raved about installation and light output flexibility. Great that it's so readily available."


- March 2022 Review



with superior lensing ensures even overlap and illumination

Watts	40W
Voltage	120-347V
CCT	35K, 50K*
Size	1'x4', 2'x2'*
DLC	Standard

distribution. Complete with fully adjustable aircraft cables (1m)



T-Bar ceiling. Complete with a low glare frosted diffuser

7

Watts	30W, 40W
Voltage	120-347V
CCT	35K, 40K
Size	1'x4', 2'x2', 2'x4'
DLC	Premium

### Horticultural



#### Full Spectrum Grow Light

480W, 660W

1,163 - 1,651 µmol/s

120-347V

Horticultural

Watts

Voltage

PAR

DLC

Features high output Lumiled diodes and full spectrum output with optimized uniformity. The 120-347V driver is complete with 4kV surge protection and superior thermal management



Linear Grow Light Can be positioned close to plants without the risk of burn and ideal for vertical farming



Watts	53W
Voltage	85-265V
Beam	120°
Length	4'

T-Grid

Vapour Proofs

Perfect for green house

applications, crop cultivation, and vertical farming

VT Series



**T-Grid Series** 



**SL** Series




T-Grid Integrated Luminaires

Seamless integration into suspended ceilings allows you to create unique lighting designs

8

Watts	10W, 20W
Voltage	120-277V
CCT	35K, 40K
Length	2', 4'





NEMA 4X Vapour Tights IP66, NEMA 4X, and IK10 rated Suitable for areas that require a high impact-resistant fixture



Watts	36W, 46W, 65W, 100W, 150W
Voltage	120-347V
ССТ	40K, 50K, Tunable (35K/40K/50K)*
DLC	Premium

### Strip Lights

AL Series NEW!			WR1 Series	NEW!	WR2 Series	
Elevate yo	ural Linear Strips bur space by creating custom lighting design	industrial a	ap Fixture pommercial and applications. Surface t mount ready	fixture that	p Fixture s most versatile wrap meets or exceeds all al specifications	
Watts	40W, 80W	Watts	35W	Watts	Selectable (24W/27W)	/30W/35W)
Voltage	120-347V	Voltage	120-277V	Voltage	120-347V	
CCT Tunable (30K/35K/40K)		CCT	40K	CCT	Tunable (35K/40K	/50K)
Length	4'*, 8'*	DLC	Standard	DLC	Premium	

### Security / Work Lights



CCT Tunable Strip Light Designed for a quick and easy installation with an external CCT selector switch

Watts	32W
Voltage	120-347V
CCT	Tunable (35K/40K/50K)
DLC	Premium



**TWL** Series

Temporary Work Lights Ideal for subway construction, factory/residential renovations, docks and more



Watts	20W**, 100W
Voltage	120V
CCT	50K
Beam	266°

\*\*Available on a 10ft string



SS Series

Security Light

Swivel arms allow for directional light. Includes 180° motion detection and 3 operating modes



Watts	20W
Voltage	120-277V
CCT	50K
DLC	Standard

### Wall Packs

#### CWP04 Series



"From a stocking distributor point of view, this product is spectacular. Fewer skews leave more shelf space for other CSC LED products."

- March 2021 Review

#### CWP04 Wall Packs

Ideal for entryway and exterior security lighting. Easy installation and maintenance with colour temperature and voltage options. Complete with a borosilicate glass lens and built-in photocell (can be bypassed)

Watts	40W, 60W, 80W, 120W
Voltage	120-347V
CCT	Tunable (30K/40K/50K)
DLC	Premium

### From a stocking distributor point of view, this product is spectacular, fewer SKUs leaves more shelf space for other CSC LED products.

- March 2021

AWP03 Series

Architectural Wall Packs Versatile wall pack with a slim profile that fits almost any outdoor lighting application

Watts	20W, 40W, 80W, 120W, Selectable (10W/20W/30W/40W)*
Voltage	120-277V, 120-347V
CCT	40K
DLC	Premium



CLEARANCE

Watts	40W, 120W
Voltage	120-277V
CCT	40K, 50K
DLC	Standard

**CWP02** Series

## DWS Series



Decorative Wall Sconces Choose from 3 covers to create your custom look. Suitable for indoor or outdoor applications



Watts	15W
Voltage	120-277V
CCT	30K, 40K
Finish	Bronze, Black



CWP03 Series



CWP03 Wall Packs Durable die-cast aluminum body with polycarbonate (shatterproof) lens



Watts	40W, 60W, 80W, 120W
Voltage	120-277V, 277-480V
CCT	40K, 50K
DLC	Standard

### Wall Packs

	RWP02 Series		RWP Series
NEW!		ULEAN	
Jse as an nodules. (	Wall Packs         uplight, downlight, or flood light with the two 270° rotatable         0-10V dimmable with 4kV surge protection and an oversized heat         perior thermal management	60W/80W	e Wall Packs models feature two able modules
Watts	40W, 60W, 80W	Watts	25W, 40W, 60W, 80W
	120-277V	Voltage	120-277V
Voltage	120 211 V		
Voltage CCT	Tunable (30K/40K/50K)	ССТ	40K or 50K

I used this on a building in close proximity to other properties. I needed a flexible luminaire to light up the required area on my building without polluting private property." - March 2021 Review

This can be utilized in multiple applications in place of two fixtures and where wall space is limited but additional light is required. Great fixture!"

- March 2021 Review

#### **MWP2** Series



#### **BEST SELLER**



"This wall pack has superior quality. Contractors love this product; it's easy to install, nice look, multi voltage and color selectable ... "

- August 2021 Review

Mini Wall Packs 1/2" NPT plugs for conduit

or controls and low glare with frosted polycarbonate lens

Watts	15W, 20W
Voltage	120-277V
CCT	30K, 40K
DLC	Standard

#### WPX Wall Packs

Ideal for outdoor wall-mount applications such as commercial, industrial, retail, and hospitality buildings. Approved by International Dark Sky Association (when set to 3000K operation)



Watts	30W, 50W, 80W, 120W
Voltage	120-347V
CCT	Tunable (30K/40K/50K)
DLC	Premium

WPX Series

### DISTRIBUTORS

Contact your regional sales agency to learn more about our products and services

### ELECTRICIANS

Contact your regional sales agency to find your nearest electrical wholesaler

### Sales Agencies Representing CSC LED Across Canada

#### **BC Sales Agency**

ken watt & associates inc

www.kenwattassoc.com (604) 576 - 2838 info@kenwattassoc.com

#### **AB/SK Sales Agency**



www.sensibleadaptive.com (403) 869 - 8252 krista.sherven@sensibleadaptive.com

#### **MB Sales Agency**



www.tmcsales.ca (204) 837 - 5036 orders@tmcsales.ca

#### **ON Sales Agency**



www.roneymk.com (905) 595 - 1344 sales@roneymk.com

#### **QC Sales Agency**



www.eclairagehitech.com (450) 442 - 7604 info@eclairagehitech.com

#### **NL Sales Agency**

#### RWM Enterprises Ltd.

Bob Myers, *P.Tech, LC* (709) 682 - 4012 bmyersptech@bellaliant.com

#### **Maritimes Sales Agency**



www.catalystsales.ca (902) 266 - 3899 info@catalystsales.ca

12

**Instagram** @cscledcorp



Facebook @CSC LED

Follow Us on Social Media



LinkedIn @CSC LED



# • CSCLED

#### **ONTARIO HEAD OFFICE**

8 - 540 Jamieson Pkwy Cambridge, ON N3C 0G5 (519) 880 - 9833 ALBERTA WAREHOUSE 13 - 2355 52 Ave SE Calgary, AB T2C 4X7 (403) 907 - 0212

#### **BRITISH COLUMBIA OFFICE**

121-1647 Broadway St Port Coquitlam, BC V3C 6P8 (778) 730 - 0448

### Register for your **Online Distributor Portal** Account

- 1. Distributors and Electrical Wholesalers, visit www.csc-led.com
- 2. Click on the *Sign Up* button that is located in the top-right corner of the screen
- 3. Fill in the registration form and submit
- 4. A member of our team will notify you once you are good to go

catalogues for the W	› /holesale I	ndustry	Log in	Sign Up
ntact Us	More	O Search		λ3 <sup>4</sup>

Visit www.csc-led.com to learn more about our products, technical specifications, IES files, product availability, certifications, customer testimonials, and more

### Making our Customer's Experience Better

"CSC LED staff and agents are very friendly, helpful and knowledgeable."

> - Verified Purchaser (AB) February 2021

"The website is very easy to use. By far thebest website experience."

- Verified Purchaser (NB) December 2021 "CSC LED's quality of product ranks with some of the best in the industry!"

- Verified Purchaser (ON) June 2021

#### Contractors: Please contact your preferred electrical wholesaler for more information and to place your order

The information provided in our print catalogues and on our website have been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice. If you have any questions or comments, please reach out to us at **marketing@csc-led.com**