



CSCLED


2023



1 - 888 - 900 - 9885 | info@csc-led.com

www.csc-led.com

In a world where technology is constantly advancing, we understand the importance of utilizing it. Implementing QR codes in our catalogues ensures that you always have the most up-to-date information at your fingertips and helps reduce our eco-footprint!



HOW TO Utilize the QR Codes

1. Open the camera on your smartphone. **Note:** If you have an older device, you may have to download a QR Code Reader app.
2. Hold your device over a QR Code so that it's clearly visible within your smartphone's screen. Two things can happen when you correctly hold your smartphone over a QR Code.
 - a) The phone automatically scans the code.
 - b) On some devices, you may have to press a button to snap a picture.
3. That's it! Once your device reads the code, it will navigate to the intended web page for more information about CSC LED products and services.

Not Working?

Visit www.csc-led.com and search by the series name



Our Vision is to be the best and most reliable business partner your company has

Our mission is to support our business partners in the industrial and commercial construction sector with persistent communication and collaboration.

CSC LED, formerly known as Earth-line SSL, has been in the LED business since 2005. We partner with our electrical wholesale customers and provide affordable and reliable LED products that are made with only the best LED chips, drivers, and thermal management.

What makes us different from our competitors?

- We understand the business from the perspective of all parties involved - distributors, sales representatives, electricians, contractors, etc.

We have a diverse team of professionals on staff who understand and have experience in the industry and are therefore able to provide our customers with the best products, service, and support.

- We partner with our customers to ensure a mutually beneficial relationship.

We provide back-end tools and support to make our wholesale customer's jobs easier, including online access to pricing and inventory levels 24/7.

- We have been in the industry for over 18 years. We have outlasted our warranties - not many of our competitors can boast this!

What's different about our products?

- Tier 1 quality products at competitive price points.
- Our products use the same LED light engines, the same quality drivers, and the same castings and powder coat finishes as many of the higher priced products in the marketplace.


High quality products, competitive prices, and great customer service!

Flood / Area Lights

FL05 Series

NEW!

FLEX
FL05 FLOOD / AREA LIGHTS



FLEX Series

The successor to our best-selling FL04B Concorde series Flood / Area Lights! Power and colour selectable, available in Black, Bronze, and White*. A variety of accessories available including easy field interchangeable optics (sold separately). Photocell and sensor ready. **Mounting sold separately**



Watts	Selectable (60W/80W/100W), (100W/125W/150W)*, (180W/210W/240W), (260W/280W/300W)*
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium

Need Tech Support?

Our talented Technical Sales Team is always there to help you land that big project! They are available to help with financial summaries, cost of waiting reports, professional lighting layouts, and so much more. Email info@csc-led.com to learn more!

FL04B Series

WHILE SUPPLIES LAST



Available in:
Bronze, White*

Concorde Series

Quick-release, hinged access cover for control compartment. Pre-wired for optional motion sensor (sold separately)



Watts	60W, 80W, 100W, 150W, 200W, 240W, 300W, 450W
Voltage	120-347V
CCT	30K*, 40K, or 50K*
DLC	Premium

FL04 Series

CLEARANCE



Concorde Series

Complete with trunnion mount Type III optics come standard (Type V available)



Watts	240W, 300W, 450W*
Voltage	120-277V*, 277-480V
CCT	40K or 50K
Finish	Bronze

FL02 Series

CLEARANCE



Streamline Series

Ideal for landscape lighting, architectural flood lighting, and interior wall washing



Watts	20W
Voltage	120-277V
CCT	40K
Finish	White

Flood / Area Lights

FLM02 Series

NEW!



Mini Flood Lights

Ideal for landscaping, patio and security lighting, building facades, signs, and more



Watts	15W*, Selectable (15W/20W/30W), (20W/30W/50W), (55W/70W/80W)
Voltage	120-277V* or 120-347V
CCT	40K* or Selectable (30K/40K/50K)
DLC	Premium
Finish	Bronze

FLM Series

WHILE SUPPLIES LAST



Mini Flood Lights

Ideal for landscaping, patios, security lighting, signs, and more. Featuring a built-in photocell



Watts	15W* **, 30W*, 50W*, 70W, 90W
Voltage	120-277V* or 120-347V
CCT	40K** or Selectable (30K/40K/50K)
DLC	Premium (30W-90W)
Finish	Bronze

PTA02 Series



Pole Top Area Lights

Suitable for use with up to 3" OD poles and complete with a high efficiency Type 5 optic lens



Watts	35W*, 55W*, 75W, 100W, 150W
Voltage	120-277V*, 120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Finish	Bronze

Downlights

SP01B Series



Sports Stadium Lights

Now available in more wattages and 120-347V! Complete with Yoke Mount



Watts	500W, 750W, 1000W
Voltage	120-347V
CCT	50K
DLC	Premium
Finish	Black

CDL02 Series

WHILE SUPPLIES LAST



Available in:
Silver/White



Achieve your custom look by choosing from our 5 reflector options

Commercial Downlights

Energy Star rated with 0-10V dimming and a built-in junction box. All models feature 120-347V universal driver with 4kV surge protection. Reflectors sold separately



Watts	15W, 20W, Selectable (27W/34W/40W)*
Voltage	120-347V
CCT	Selectable (30K/40K/50K) or (30K/35K/40K)*

Accessories (Sold Separately):

4" Round Reflector, 4" Square Reflector, 4" Round Wall Wash Reflector, 6" Round Reflector, 8" Round Reflector



CLEARANCE: Limited Quantity
Comes with 1-year manufacturer warranty

Hazloc / Explosion-Proof

EXPL Series



Linear Explosion-Proof
C1, D2, (Groups A, B, C, D),
UL844, UL1598, UL8750.
Yoke Mount sold separately



Watts	40W, 80W
Voltage	120-277V
CCT	50K
Length	2', 4'
Finish	Orange



CES Series

CLEARANCE



Hazloc / Explosion-Proof
cUL 8750 rated for Class 1,
Div 2 groups A, B, C, D.
Instant on with no warm-up time



Watts	100W
Voltage	120-277V
CCT	50K
Finish	White

EXPR Series



Round Explosion-Proof

C1, D2, (Groups A, B, C, D), UL844, UL1598, UL8750. Atex II2G Ex db IIC T6 Gb.
Suitable for hazardous environments where flammable dangers exist, wet locations,
marine environments, and high vibration applications. Complete with Yoke Mount



Watts	60W, 100W, 150W
Voltage	120-277V
CCT	50K
Beam	110°
Finish	Orange

Lamps

CLW Series

CLEARANCE



Corn Lamps

Ideal for use in high bays,
area lights, flood lights,
wall packs, and more



Watts	15W, 30W, 54W, 75W
Voltage	120-277V
CCT	50K
Base	E26*, E39*

CLH Series

CLEARANCE



Paddle Lamps

LED replacement lamps for
directional Metal Halide and
HPS. Rated IP51



Watts	27W, 36W, 54W
Voltage	120-277V
CCT	50K
Base	E26*, E39*

High Bays

HB8 Series

NEW!



Available in: Black, White

HB8 Series High Bays

The successor to our best-selling HB7C High Bays! Now power and colour selectable, with select models available in white. Our shatterproof polycarbonate optics meet/exceed DLC 5.1 glare standards. Instant start and 0-10V dimmable



Watts	Selectable (60W/80W/100W), (100W/120W/150W), (200W/220W/240W), (240W/270W/300W)*
Voltage	120-277V*, 120-347V, 277-480V*
CCT	Selectable (30K/40K/50K)
DLC	Premium

A variety of accessories sold separately



LHB04 Series

NEW!



Available in: White

Linear High Bays

The successor to our best-selling LHB03 Linear High Bays, now power and colour selectable! Ideal for warehouses, factories, workshops, and more. An energy efficient replacement for traditional fluorescent fixtures and HID high bays



Watts	Selectable (70W/90W/110W), (110W/130W/150W), (180W/200W/220W), (255W/275W/295W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium

LHB03 Series

WHILE SUPPLIES LAST



Linear High Bays

With shatterproof polycarbonate optics that meet DLC 5.1 glare standards. Mounting hooks included



Watts	110W*, 220W*, 300W
Voltage	120-347V
CCT	40K* or 50K
DLC	Premium
Finish	White

CLEARANCE: Limited Quantity
Comes with 1-year manufacturer warranty

Panels / Troffers

PLP Series



Panel Lights

These DLC Premium panel lights are colour selectable and power selectable



Watts	Selectable (20W/30W/40W) or (30W/40W/50W)
Voltage	120-347V
CCT	Selectable (30K/35K/40K)
Size	1'x4', 2'x2', 2'x4'
DLC	Premium
Finish	White

PLS Series



Available in: White

Panel Lights

High performance, light-weight luminaires suitable for lay-in, surface, or pendant mounting. Ideal for use in schools, health care applications, offices, retail spaces, and more. Power selectable and 0-10V dimmable



Watts	Selectable (20W/30W/40W) or (30W/40W/50W)
Voltage	120-277V*, 120-347V
CCT	40K*, Selectable (35K/40K/50K)
Size	1'x4', 2'x2', 2'x4'
DLC	Premium, Standard (40K, 120-277V)

“We have been using the PLP series and the feedback has been nothing but spectacular. This product line covers every option all in one unit.”

- November 2022 Review for PLP series

UDPL Series

CLEARANCE



Direct/Indirect Panel Lights

50% up and 50% down light distribution. Complete with fully adjustable aircraft cables (1m)



Watts	40W
Voltage	120-277V
CCT	35K, 40K
Size	1'x4'
Finish	White

VOL Series



Power selectable models meet/exceed DLC 5.1 glare standards for increased visual comfort

Available in: White

Volumetric Troffers

Ideal for commercial lighting areas such as offices, retail spaces, hallways, healthcare applications, and more. Rigid steel frame mounts to any T-Bar ceiling. Now available in power selectable and colour selectable models



Watts	30W, 40W, Selectable* (20W/30W/40W) or (30W/35W/40W)
Voltage	120-347V
CCT	35K, 40K, Selectable* (30K/35K/40K)
Size	1'x4', 2'x2', 2'x4'
DLC	Standard (VOL22-40W-3P-3CCT-UD), Premium (VOL24-40W-3P-3CCT-UD)

Canopy Lights

GCL01 Series



Available in: White

Garage Canopy Lights

Horizontal light dispersion for maximum uniform coverage. Optional motion sensor available (sold separately)



Watts	45W, 75W
Voltage	120-347V
CCT	40K
Beam	170°
DLC	Premium

CP03 Series

NEW!



Available in: White

Canopy Lights

Power and colour selectable with a dropped lens for improved beam angle



Watts	Selectable (20W/30W/40W) or (40W/60W/75W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
Beam	110°

See what our customers are saying about us!

“So great to deal with and the ease of their website makes them one of the best lighting suppliers out there.”

- March 2023 Review

“This site is one of the best portals I use for placing orders online.”

- June 2022 Review

“CSC LED has a great product mix and excellent customer service. A wonderful company to do business with!”

- March 2021 Review

“Pricing? Accurate. Stock and estimated lead times? Accurate. Couldn't ask for anything more, this website should be the standard every manufacturer should strive to offer.”

- May 2023 Review

“Their website is very clear and intuitive, makes it seamless to find products and place an order!”

- November 2022 Review

“Simplicity in checking stock, pricing, and placing a purchase order.”

- August 2023 Review

Bollards

BL01 Series

NEW!



Bollard Lights

Bases available in three different heights: 19", 35", 42". Visor available (sold separately)



Watts	Selectable 14W (Field Adjustable to 25%, 50%, 75%, 100%)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
Finish	Black

Cylinders

CYL Series

NEW!



Available in: Black, White

Cylinder Lights

Power and colour selectable with the option to be surface or pendant mounted



Watts	Selectable (21W/28W/35W)
Voltage	120-347V
CCT	Selectable (27K/30K/35K/40K)
Beam	30° / 40° / 50° / 60°

Horticultural

GL01 Series

CLEARANCE



Full Spectrum Grow Lights

Features high output Lumiled diodes and full spectrum output with optimized uniformity. The 120-347V driver is complete with 4kV surge protection and superior thermal management




Watts	480W, 660W
Voltage	120-347V
PAR	1,163 - 1,651 $\mu\text{mol/s}$
DLC	Horticultural
Finish	Dark Grey



Perfect for green house applications, crop cultivation, and vertical farming

LGL Series

LIMITED STOCK



Linear Grow Light

Can be positioned close to plants without the risk of burn and ideal for vertical farming



Watts	53W
Voltage	85-265V
Beam	120°
Length	4'
Finish	Dark Grey

Security / Work Lights

TWL Series



Temporary Work Light

Ideal for subway construction, factory/residential renovations, docks, and more



Watts	100W
Voltage	120V
CCT	50K
Beam	266°
Finish	Orange

SS Series



Security Light

Swivel arms allow for directional light. Includes 180° motion detection and 3 operating modes



Watts	20W
Voltage	120-277V
CCT	50K
Finish	White, Black

T-Grid

T-Grid Series



T-Grid Integrated Luminaires


Seamless integration into suspended ceilings allows you to create unique lighting designs




Watts	10W, 20W
Voltage	120-277V
CCT	35K, 40K
Length	2', 4'
Finish	Silver

Strip Lights

AL Series



2' and black models now available!



Available in: Black, White

Architectural Linear Strips

Elevate your space by creating your own custom lighting design. Available in direct and direct/indirect models, black and white finishes, and in three different lengths. A variety of accessories available to meet your projects needs



Watts	20W, 40W, 80W
Voltage	120-347V
CCT	Selectable (30K/35K/40K)
Length	2', 4', 8'

WR1 Series



Available in: White

WR1 Wrap Fixture

Ideal for commercial and industrial applications. Surface or pendant mount ready



Watts	35W
Voltage	120-277V
CCT	40K
DLC	Standard

AL Backlit Connectors

Available in black and white



ST Series



Designed for a quick and easy installation by opening and closing without the use of tools

Available in: White

Colour Selectable Linear Strip Lights

Ideal for shops, cove lighting, and general area lighting. Available in multiple lengths with the 4' and 8' models being power selectable. Plug & Play row mounting kits available for 4' and 8' models (sold separately)



Watts	20W, Selectable (20W/30W/40W) or (50W/60W/70W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium
Length	2', 4', 8'

WR2 Series



Available in: White

WR2 Wrap Fixture

CSC LED's most versatile wrap fixture that meets or exceeds all commercial specifications



Watts	Selectable (24W/27W/30W/35W)
Voltage	120-347V
CCT	Selectable (35K/40K/50K)
DLC	Premium

Vapour Proofs

SL Series

CLEARANCE



2' Tri-Proofs

Rated IP66 and suitable for surface or suspended mounting



Watts	30W, 40W
Voltage	120-277V
CCT	50K
Length	2', 4'
Finish	White

VT Series

NEW MODELS!



Available in: White/Grey

NEMA 4X Vapour Tights

IP66 or IP67, NEMA 4X, and IK10 rated. Power selectable and colour selectable options available. Ideal for parking garages, car washes, industrial applications, food processing plants, paint shops, and other harsh environments



Watts	36W*, 100W, 150W, Selectable (15W/20W/25W), (20W/28W/35W), (30W/45W/60W), (65W/75W/90W/110W), (150W/175W/200W)
Voltage	120-347V
CCT	40K*, 50K*, Selectable (35K/40K/50K)
DLC	Premium, Standard (36W models)

Wall Packs

CWPS Series

NEW!



Available in: Bronze

Slim Classic Wall Pack

Power and colour selectable. New slim, streamlined design with quick and easy installation



Watts	Selectable (20W/30W/40W), (40W/60W/80W), (80W/100W/120W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium

CWP04 Series



CWP04 Wall Packs

Ideal for entryway and exterior security lighting, with easy installation and maintenance



Watts	40W, 60W, 80W, 120W
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Finish	Bronze

CWP03 Series

CLEARANCE



CWP03 Wall Packs

Ideal for exterior and entryway lighting. Features a durable die-cast aluminum body with a bronze finish



Watts	40W, 60W, 80W, 120W
Voltage	277-480V
CCT	40K, 50K
Finish	Bronze

Wall Packs

AWP04 Series

NEW!



Available in: Bronze

Architectural Wall Packs

Ideal for building entrances, multi-use facilities, apartment buildings, schools, and more



Watts	Selectable (10W/20W/30W/40W), (50W/60W/70W/80W), (60W/80W/100W/120W)*
Voltage	120-347V
CCT	40K*, Selectable (30K/40K/50K)
DLC	Premium

AWP03 Series

WHILE SUPPLIES LAST



Available in: Bronze

Architectural Wall Packs

Versatile wall pack with a slim profile that fits almost any outdoor lighting application



Watts	20W, 40W, 120W*
Voltage	120-277V, 120-347V*
CCT	40K
DLC	Premium

“Easy install, adjustable head, covers all voltages. Great product!”

- November 2021 Review

DWS Series



Decorative Wall Sconces

Choose from 3 covers to create your custom look. Suitable for indoor or outdoor applications



Watts	15W
Voltage	120-277V
CCT	30K, 40K
Finish	Bronze, Black



DWS-C1



DWS-C2



DWS-C3

MWP04 Series

NEW!



Mini Wall Packs

Ideal for security lighting, commercial entrances, stairways, perimeter areas, and more



Watts	Selectable (10W/15W/20W)
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Finish	Bronze, Black

RWP02 Series



Rotatable Wall Packs

Use as an uplight, downlight, or flood light with the two 270° rotatable modules



Watts	40W, 60W, 80W
Voltage	120-277V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Finish	Black

WPX Series

BEST SELLER



WPX Wall Packs

Ideal for outdoor wall-mount applications such as commercial, industrial, or hospitality buildings



Watts	30W, 50W, 80W, 120W
Voltage	120-347V
CCT	Selectable (30K/40K/50K)
DLC	Premium
Finish	Black, White

DISTRIBUTORS

Contact your regional sales agency to learn more about our products and services

ELECTRICIANS

Contact your regional sales agency to find your nearest electrical wholesaler

Sales Agencies Representing CSC LED Across Canada

BC Sales Agency

ken watt
& associates inc

www.kenwattassoc.com
(604) 576 - 2838
info@kenwattassoc.com

AB/SK Sales Agency



www.sensibleadaptive.com
(403) 869 - 8252
krista.sherven@sensibleadaptive.com

MB Sales Agency



www.tmcsales.ca
(204) 837 - 5036
orders@tmcsales.ca

ON Sales Agency



www.roneymk.com
(905) 595 - 1344
sales@roneymk.com

QC Sales Agency



www.agencericard.com
(514) 838 - 5625
info@agencericard.com

NL Sales Agency

RWM Enterprises Ltd.

Bob Myers, P.Tech, LC
(709) 682 - 4012
bmyersptech@bellaliant.com

Maritimes Sales Agency



www.catalystsales.ca
(902) 266 - 3899
info@catalystsales.ca

Follow Us on Social Media

Instagram
@csclcorp



Facebook
@CSC LED



LinkedIn
@CSC LED





INTRODUCING

CSC LED REWARDS

Yet another reason to choose CSC LED

CALLING ALL CONTRACTORS!

Earn points when you purchase CSC LED products from your preferred electrical wholesaler.

Easily redeem your points online for awesome prizes and gift cards!



Log In

Sign in to our website.



Upload Packing Slip

Use your mobile device to quickly take a picture of your **packing slip or invoice**, and upload it.



Earn Points

Earn points on CSC LED products purchased from your preferred electrical wholesaler.



Gain Rewards

Within your account, go to the CSC LED **rewards shop** and cash in your points for gift cards and more.

Visit www.csc-led.com/rewards to learn more!



ONTARIO HEAD OFFICE

8 - 540 Jamieson Pkwy
Cambridge, ON N3C 0G5
(519) 880 - 9833

BRITISH COLUMBIA OFFICE


1140 - 2375 Fremont St
Port Coquitlam, BC V3B 0N9
(778) 730 - 0448

ALBERTA WAREHOUSE

13 - 2355 52 Ave SE
Calgary, AB T2C 4X7
(403) 907 - 0212

Register for your Online Distributor Portal Account

1. Distributors and Electrical Wholesalers, visit www.csc-led.com
2. Click on the *Sign Up* button that is located in the top-right corner of the screen
3. Fill in the registration form and submit
4. A member of our team will notify you once you are good to go



Visit www.csc-led.com to learn more about our products, technical specifications, IES files, product availability, certifications, customer testimonials, and more

Making our Customer's Experience Better

"CSC LED is always easy to deal with and their website makes life easier!"

- Verified Purchaser (ON)
August 2022

"The market is so competitive but you are offering a top quality product for a reasonable price."

- Verified Purchaser (ON)
January 2023

"The fact that a lighting supplier has an online order portal is amazing!"

- Verified Purchaser (ON)
July 2023

Contractors: Please contact your preferred electrical wholesaler for more information and to place your order

The information provided in our print catalogues and on our website have been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice.

If you have any questions or comments, please reach out to us at marketing@csc-led.com