



CSCLED

# PLP & PLS PANEL LIGHTS

Wattage Selectable | 1' x 4', 2' x 2', or 2' x 4' | Colour Tunable or 4000K | 120-277V or 120-347V

PLP and PLS series Panel Lights are versatile, powerful luminaires with a slim profile making them suitable for a variety of applications, including tight plenum areas. Each panel is wattage selectable allowing users to select the perfect power output for their project's needs.

## APPLICATIONS

High performance, light-weight luminaires suitable for lay-in, surface or pendant mounting. Ideal for use in schools, health care applications, offices, retail spaces, and more.



## PLP MODELS


Each PLP Panel Light is wattage selectable (3P), colour tunable (3CCT), and features a 120-347V universal driver (UD). Easily select your desired wattage and colour temperature by moving the respective switches to the appropriate positions as indicated by the labels.

Order Code	Dimensions	Wattage	Colour Temperature	Voltage	DLC
PLP14-40W-3P-3CCT-UD	1' x 4'	20W/30W/40W	3000K / 3500K / 4000K	120-347V	Premium
PLP24-50W-3P-3CCT-UD	2' x 4'	30W/40W/50W	3000K / 3500K / 4000K	120-347V	Premium
PLP22-40W-3P-3CCT-UD	2' x 2'	20W/30W/40W	3000K / 3500K / 4000K	120-347V	Premium

## PLS MODELS

Each PLS Panel Light is wattage selectable (3P), 4000K, and 120-277V (LV). Easily select your desired wattage by moving the switch to appropriate position as indicated by the label.


Order Code	Dimensions	Wattage	Colour Temperature	Voltage	DLC
PLS14-40W-3P-40K-LV	1' x 4'	20W/30W/40W	4000K	120-277V	Standard
PLS24-50W-3P-40K-LV	2' x 4'	30W/40W/50W	4000K	120-277V	Standard
PLP22-40W-3P-40K-LV	2' x 2'	20W/30W/40W	4000K	120-277V	Standard



1' x 4'



2' x 4'



2' x 2'

# SPECIFICATIONS

0-10V Dimming Lead on Both Sides of Driver Junction Box

Non-yellowing Frosted Lens

Wattage Selectable

Less than 1.8" Deep  
ideal for tight plenum areas

Waffle Stamping  
increases heat dissipation and driver life

0-10V Dimmable Driver

Seismic Clips Included



Pictured: PLP22-40W-3P-3CCT-UD



Junction Box Extension (PLS-JB) sold separately

## ACCESSORIES AND MOUNTING KITS

Order Code	
PLS-JB	Junction Box for PLP and PLS Panel Lights
PLS14-RFK	Recessed Frame Kit for 1' x 4' PLP and PLS Panel Lights
PLS24-RFK	Recessed Frame Kit for 2' x 4' PLP and PLS Panel Lights
PLS22-RFK	Recessed Frame Kit for 2' x 2' PLP and PLS Panel Lights
PLS14-SK	Surface Mount Kit for 1' x 4' PLP and PLS Panel Lights
PLS24-SK	Surface Mount Kit for 2' x 4' PLP and PLS Panel Lights
PLS22-SK	Surface Mount Kit for 2' x 2' PLP and PLS Panel Lights
PLS-SUSKIT	Suspension Kit for PLP and PLS Panel Lights





## Industrial and Commercial LED Lighting

1-888-900-9885 | [info@csc-led.com](mailto:info@csc-led.com) | [www.csc-led.com](http://www.csc-led.com)

### HEAD OFFICE

8-540 Jamieson Parkway  
Cambridge, ON N3C 0G5  
[orders@csc-led.com](mailto:orders@csc-led.com)

### AB WAREHOUSE

13-2355 52nd Ave SE  
Calgary, AB T2C 4X7  
[ordersbc@csc-led.com](mailto:ordersbc@csc-led.com)

### BC OFFICE

121-1647 Broadway St.  
Port Coquitlam, BC V3C 6P8  
[ordersbc@csc-led.com](mailto:ordersbc@csc-led.com)

## SALES AGENCIES

### BRITISH COLUMBIA

Ken Watt & Associates  
P: (604) 576-2838  
[www.kenwattassoc.com](http://www.kenwattassoc.com)

### MANITOBA

TMC Sales  
P: (204) 837-5036  
[www.tmcsales.ca](http://www.tmcsales.ca)

### ALBERTA / SASKATCHEWAN

Sensible Adaptive Solutions  
P: (403) 519-4209  
P: (403) 869-8252  
[www.sensibleadaptive.com](http://www.sensibleadaptive.com)

### ONTARIO

Roney Marketing Ltd.  
P: (905) 595-1344  
[www.roneymk.com](http://www.roneymk.com)

### NEWFOUNDLAND AND LABRADOR

RWM Enterprises  
P: (709) 682-4012

### QUÉBEC

Éclairage Hi-Tech Inc.  
P: (450) 442-7604  
[www.eclairagehitech.com](http://www.eclairagehitech.com)

### MARITIMES

Catalyst Sales and Marketing  
P: (902) 266-3899  
[www.catalystsales.ca](http://www.catalystsales.ca)

The information provided in our print catalogues and on our website has been gathered and assembled with every effort made to verify the accuracy of the content; however, mistakes can happen. The information in this document is subject to change without notice. If you have any questions or comments, please reach out to us at [marketing@csc-led.com](mailto:marketing@csc-led.com)