

SPORTS STADIUM LIGHTS

 CSCLED

SPORTS STADIUM LIGHTS

DLC PREMIUM PERFORMANCE






400W / 500W



600W / 750W
Shown with optional Laser Pen



1000W / 1200W
Shown with optional Visor



PRODUCT #	WATTS	VOLTAGE	LUMENS	EPA	BEAM ANGLE	WEIGHT (lbs)	DIMENSIONS (Inches)
SP01-400W-50K	400W	100-277V	53,645 lm	1.49 ft ²	30° 40° 120°	31.24	Ø 14.17*15.74
SP01-500W-50K	500W	100-277V	65,683 lm	1.49 ft ²	30° 40° 120°	32.34	Ø 14.17*15.74
SP01-600W-50K	600W	100-277V	88,400 lm	2.5 ft ²	15°	60.72	Ø 18.11*20.59
SP01-750W-50K	750W	100-277V	10,4590 lm	2.5 ft ²	15°	62.70	Ø 18.11*20.59
SP01-1000W-50K	1000W	100-277V	13,5183 lm	3.14 ft ²	12° 30° 42° 60°	72.16	Ø 20.51*22.71
SP01-1200W-50K	1200W	100-277V	16,3612 lm	3.14 ft ²	12° 30° 42° 60°	77.44	Ø 20.51*22.71
SP01-400W-50K-HV	400W	200-480V	53,645 lm	1.49 ft ²	30° 40° 120°	31.24	Ø 14.17*15.74
SP01-500W-50K-HV	500W	200-480V	65,683 lm	1.49 ft ²	30° 40° 120°	32.34	Ø 14.17*15.74
SP01-600W-50K-HV	600W	200-480V	88,400 lm	2.5 ft ²	15°	60.72	Ø 18.11*19.09
SP01-750W-50K-HV	750W	200-480V	10,4590 lm	2.5 ft ²	15°	62.70	Ø 18.11*19.09
SP01-1000W-50K-HV	1000W	200-480V	13,5183 lm	3.14 ft ²	12° 30° 42° 60°	72.16	Ø 20.51*22.13
SP01-1200W-50K-HV	1200W	200-480V	16,3612 lm	3.14 ft ²	12° 30° 42° 60°	77.44	Ø 20.51*22.13

SPORTS STADIUM LIGHT ACCESSORIES

(additional cost)



Shown with
optional Visor
and Slipfit Mount

VISOR

SP01-VISOR-A for 400W and 500W


SP01-VISOR-B for 600W and 750W

SP01-VISOR-C for 1000W and 1200W


SLIPFIT MOUNT

SP01-SF-SM for 400W and 500W

SP01-SF-LG for 600W, 750W, 1000W and 1200W



SP01-SF-SM Diagram



SP01-SF-LG Diagram




Shown with
optional Laser Pen

LASER PEN

SP01-LP

Use the laser to project the point,
simulate the direction of the fixture's light projection,
and assist in installation of the lamp.



Quick and easy installation



Commercial and Industrial LED Lighting

1-888-900-9885 | CSC-LED.COM